



W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: \_\_\_\_\_ PAR #: \_\_\_\_\_ Fault Category: \_\_\_\_\_ NCR: Yes No DQA: \_\_\_\_\_ Date: \_\_\_\_\_

Resolution: \_\_\_\_\_ Disposition: \_\_\_\_\_ QA: N/C Closed: \_\_\_\_\_ Date: \_\_\_\_\_

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

**NOTE:** Date & initial all entries

# Work Order ID 51604

August 27, 2009 8:26:07 AM



Page 2

Item ID: D3601-1  
Revision ID: A  
Item Name: Radius Block

Accept



Setup Start



Stop



Start Date: 8/27/09 Start Qty: 70.00  
Required Date: 8/27/09 Req'd Qty: 70.00



Cust Item ID:  
Customer:

Reference:

Approvals:

Process Plan:

Date:

Tooling:

Date:

Run Start



QC:

Date:

SPC (Y/N):

Date:

Stop



Sequence ID/  
Work Center ID

Operation  
Description

Set Up/  
Run Hours

Draw  
Number

Draw  
Rev.

Plan  
Code

Accept  
Qty

Reject  
Qty

Reject  
Number

Insp.  
Stamp

130

QC8- Inspect parts - second check

0.00



QC

Memo

0.00

Quality Control

72

Ø

L.A 09/09/03

140

Small Fab

0.00



Small Fab

Memo

0.00

Small Fab

Tumble. Deburr any rough edges after tumbling

M-L

09/09/14

72X

B 9-9-14 72

150

Chemical Conversion Coat per QS1005 4.1

0.00



HandFinish

Memo

0.00

Hand Finishing

HL

09/09/15

72X

Ø

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: \_\_\_\_\_ PAR #: \_\_\_\_\_ Fault Category: \_\_\_\_\_ NCR: Yes No DQA: \_\_\_\_\_ Date: \_\_\_\_\_

Resolution: \_\_\_\_\_ Disposition: \_\_\_\_\_ QA: N/C Closed: \_\_\_\_\_ Date: \_\_\_\_\_

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

**NOTE:** Date & initial all entries

# Work Order ID 51604

August 27, 2009 8:26:07 AM



Item ID: D3601-1

Accept



Setup Start



Revision ID: A

Stop



Item Name: Radius Block

Start Date: 8/27/09

Start Qty: 70.00



Cust Item ID:

Required Date: 8/27/09

Req'd Qty: 70.00



Customer:

Reference:

Run Start



Approvals:

Process Plan:

Date:

Tooling:

Date:

Stop



QC:

Date:

SPC (Y/N):

Date:

Sequence ID/  
Work Center ID

Operation  
Description

Set Up/  
Run Hours

Draw  
Number

Draw  
Rev.

Plan  
Code

Accept  
Qty

Reject  
Qty

Reject  
Number

Insp.  
Stamp

160



QC

Quality Control

QC3- Inspect Part Finish

Memo

0.00

0.00

BR 09-09-15

72

170



Packaging

Packaging

Identify as per dwg & Stock Location: 114

Memo

0.00

0.00

9/9/15 72x 80

180



QC

Quality Control

QC21- Final Inspection - Work Order Release

Memo

0.00

0.00

09/09/16 HJ

W 09-09-16

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector
		<u>Bom!</u> MS052-H32 Bar .125"x .750" (0.0666 F.) 11/09/03 Batch: _____					
		M606146 Bar .125"x .750" Batch # <del>110591</del> 110591/x 7.5F					

Part No: \_\_\_\_\_ PAR #: \_\_\_\_\_ Fault Category: \_\_\_\_\_ NCR: Yes No DQA: \_\_\_\_\_ Date: \_\_\_\_\_

Resolution: \_\_\_\_\_ Disposition: \_\_\_\_\_ QA: N/C Closed: \_\_\_\_\_ Date: \_\_\_\_\_

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			



NOTE: Date & initial all entries





DESIGN CB	DRAWN BY CB	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
CHECKED [Signature]	APPROVED [Signature]	DRAWING NO. D3601	REV. A SHEET 1 OF 1
DATE 07.02.13		TITLE RADIUS BLOCK	SCALE 2:1
REV A	DATE 07.02.13	DESCRIPTION NEW ISSUE	

RELEASED  
07.03.08 [Signature]



**D3601-1 RADIUS BLOCK**

**NOTES:**

- 1) MATERIAL: ALUMINUM 5052-H32 SHEET, 0.125 THICK PER QQ-A-250/8 OR AMS 4016 (REF DART SPEC M5052H32S.125) OR ALUMINUM 6061-T6 SHEET, 0.125 THICK PER QQ-A-250/11 OR AMS 4025/4027 (REF DART SPEC M6061T6S.125)
- 2) FINISH: CHEMICAL CONVERSION COAT PER DART QSI 005 4.1
- 3) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) IDENTIFY WITH DART P/N "D3601-1" USING FINE POINT PERMANENT INK MARKER
- 5) ALL DIMENSIONS ARE IN INCHES UNLESS OTHERWISE NOTED
- 6) BREAK ALL SHARP EDGES 0.005 TO 0.050 MAX

COPYRIGHT © 2007 BY DART AEROSPACE LTD

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.